



5750 CHESAPEAKE BOULEVARI SUITE 203A NORFOLK, VA 23513 PHONE: (757) 858-8585 FAX: (757) 858-2070

www.landstudiopc.com

CIVIL

SURVEYOR

BOWMAN CONSULTING GROUP, LTD 3951 WESTERRE PARKWAY, SUITE 150 RICHMOND, VIRGINIA 23233 PHONE: (804) 616-3240 FAX: (804) 270-2008 OTHER

OFFICIAL SEAL

BILLY W. SPIVEY

Lic. No.001053

LANDSTUDIO, PC © 2013

BAY OAKS PARK
SITE IMPROVEMENT
EAST OCEANVIEW AVENUE
NORFOLK, VIRGINIA
OVERALL SITE PLAN


No.	Revision/Issue	Date
Project N	Name and Address:	

BAY OAKS PARK
SITE IMPROVEMENTS
EAST OCEANVIEW AVENUE
NORFOLK, VIRGINIA

Project # 09005-9
Designer: BWS
Drafter: MDK
Checked: BWS/EDT
Approved: BWS
Date: 05/16/2014

Project # 09005-9
Sheet:

L-2.0





5750 CHESAPEAKE BOULEVARE SUITE 203A NORFOLK, VA 23513 PHONE: (757) 858-8585 FAX: (757) 858-2070

www.landstudiopc.com

CIVIL

SURVEYOR

BOWMAN CONSULTING GROUP, LTD 3951 WESTERRE PARKWAY, SUITE 150 RICHMOND, VIRGINIA 23233 PHONE: (804) 616-3240 FAX: (804) 270-2008 OTHER

OFFICIAL SEAL

BILLY W. SPIVEY
Lic. No.001053

LANDSTUDIO, PC © 2013

2,41,001,0010,100,000

SAY OAKS PAKK
E IMPROVEMENTS

EAST OCEANVIEW AVENUE

NORFOLK, VIRGINIA


Project Name and Address:

BAY OAKS PARK
SITE IMPROVEMENTS

SITE IMPROVEMENTS
EAST OCEANVIEW AVENUE
NORFOLK, VIRGINIA


ect # 09005-9
igner: BWS
fter: MDK


Designer: BWS
Drafter: MDK
Checked: BWS/EDT
Approved: BWS
Date: 05/16/2014
Scale: 1"-25'




L-2.2

12 OF 53







STOP!!

NOT FOR CONSTRUCTION

USE FOR PRELIMINARY
PLANNING AND ESTIMATING
ONLY

MANUFACTURING CANNOT START UNTIL
PORTERCORP RECEIVES A SIGNED AND APPROVED

REVISE AND RESUBMIT AS NOTED

PERGOLA (TRE-F - CUSTOM) OR APPROVED EQUAL (RADII = 243.5') (FRAME COLOR: WHITE)

DETAIL

L-6.6 N.T.S.

PROJECT: LAND STUDIO LOCATION: NORFOLK, VA

BUILDING TYPE: TRE 8 x 51

ROOF TYPE: NONE

DRAWING LIST:

FEATURES: CURVED

JOB NUMBER: 51307

Source: Poligon Park Architecture - www.poligon.com

NPS sign sys Cantilever (CAN) ©KVO Industries 2008 Source: KVO

CONTRACTOR TO COORDINATE WITH MANUFACTURER AND SUBMIT SHOP DRAWINGS FOR FOOTER DESIGN

INTERPRETIVE SIGNAGE (COLOR: BLACK) OR APPROVED EQUAL L-6.6

AUXILIARY VIEW JOB NUMBER 51307

CONTRACTOR TO COORDINATE WITH MANUFACTURER AND SUBMIT SHOP DRAWINGS FOR FOOTER DESIGN POST ARE ENCLOSED IN A CONTINUOUS WALL IN LIEU OF STAND ALONE SUPPORT COLUMNS, REFER TO DETAIL #3, ON SHEET L-6.1 AND PLAN SHEETS L-2.2 AND L-4.5

PERGOLA (TRE-F - CUSTOM) OR APPROVED EQUAL (FRAME COLOR: WHITE) L-6.6 / N.T.S.

CS



ole Spe	cification	s.							
Total Length (Feet)	Butt Diameter (Inches)	Groundline Diameter (Inches)	Pole Top Diameter (Inches)	Embed Depth (Feet)	Mast Arm Mounting Height (Feet)	Tenon Size	Finish Color	WMIS CU Assembly	Pole (
30	13.0	11.7	6.5	6.0	23.0	None	Grey (RAL 7038)	PF30	50502
35	14.1	12.8	6.5	6.0	28.0	None	Grev (RAL 7038)	PF35	50502
40	15.0	13.7	6.5	6.0	33.0	None	Grey (RAL 7038)	PF40	50502
45	16.3	14.8	6.5	6.5	37.5	None	Grey (RAL 7038)	PF45	50502
30	13.3	11.6	5.1	6.0	N.A.	3.0" O.D. X 4"	Grey (RAL 7038)	PFT30	50503
35	14.1	12.8	5.1	6.0	N.A.	3.0" O.D. X 4"	Grey (RAL 7038)	PFT35	50503
40	15.0	13.7	5.1	6.0	N.A.	3.0" O.D. X 4"	Grey (RAL 7038)	PFT40	50503
45 Mast Arm	16.3 ns - Brack	14.8 kets:	5.1	6.5	N.A.	3.0" O.D. X 4"	Grey (RAL 7038)	PFT45	50504
	ns - Brack		5.1 Material	6.5		3.0" O.D. X 4" Description	Grey (RAL 7038)	PFT45 WMIS CU Assembly	
Arm Arm Length (Feet)	ns - Brack	ets:			olor	Description		WMIS CU Assembly	Arm C Stor
Arm Length	Arm End O.D. (Inches)	Arm Rise (Inches)	Material	Finish Co	olor Single mem		ept mast arm		Arm C Stor
Arm Arm Length (Feet) 2.5 (30")	Arm End O.D. (Inches)	Arm Rise (Inches)	Material Aluminum	Finish Co	olor Im Single mem Single mem	Description ber elliptical upsw	ept mast arm ept mast arm	WMIS CU Assembly	Arm C Stor 42021 42021
Arm Length (Feet) 2.5 (30") 6.0	Arm End O.D. (Inches) 2.0 2.0	Arm Rise (Inches)	Material Aluminum Aluminum	Finish Co	olor Im Single mem Single mem Single mem Single mem	Description ber elliptical upsw ber elliptical upsw	ept mast arm ept mast arm ept mast arm	WMIS CU Assembly BKTUS30INC BKTTTUS06FT	Arm C Stor 42021 42021 42021
Arm Length (Feet) 2.5 (30") 6.0 8.0	Arm End O.D. (Inches) 2.0 2.0 2.0	Arm Rise (Inches) 10.0 20.0 26.0	Material Aluminum Aluminum Aluminum	Finish Co Aluminu Aluminu Aluminu	olor Single mem Single mem Single mem Single mem Single mem	Description ber elliptical upsw ber elliptical upsw ber elliptical upsw	ept mast arm ept mast arm ept mast arm ept mast arm	WMIS CU Assembly BKTUS30INC BKTTTUS06FT BKTTTUS08FT	Arm C Stor 42021 42021 42021 66089
Arm Length (Feet) 2.5 (30") 6.0 8.0 10.0	Arm End O.D. (Inches) 2.0 2.0 2.0 2.0	Arm Rise (Inches) 10.0 20.0 26.0 36.0	Material Aluminum Aluminum Aluminum Aluminum	Finish Co Aluminu Aluminu Aluminu Aluminu	im Single mem	Description ber elliptical upsw ber elliptical upsw ber elliptical upsw ber elliptical upsw	ept mast arm ept mast arm ept mast arm ept mast arm	WMIS CU Assembly BKTUS30INC BKTTTUS06FT BKTTTUS08FT BKTTTUS10FT	Arm C Stor 42021 42021 42021 66089
Arm Length (Feet) 2.5 (30") 6.0 8.0 10.0 12.0	Arm End O.D. (Inches) 2.0 2.0 2.0 2.0 2.0 2.0	Arm Rise (Inches) 10.0 20.0 26.0 36.0 42.0	Material Aluminum Aluminum Aluminum Aluminum Aluminum	Finish Co Aluminu Aluminu Aluminu Aluminu Aluminu	Single mem Single mem Single mem Single mem Single mem Directional f	Description ber elliptical upsw loodlight bracket	ept mast arm	WMIS CU Assembly BKTUS30INC BKTTTUS06FT BKTTTUS10FT BKTTTUS10FT BKTTTUS12FT BKTDF1	Arm C Stool 42021 42021 42021 66089 42021
Arm Length (Feet) 2.5 (30") 6.0 8.0 10.0 12.0 1.0	ns - Brack Arm End O.D. (Inches) 2.0 2.0 2.0 2.0 2.0 2.0 N.A.	Arm Rise (Inches) 10.0 20.0 26.0 36.0 42.0 N.A.	Material Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum	Finish Co Aluminu Aluminu Aluminu Aluminu Aluminu Aluminu	olor Single mem Single mem Single mem Single mem Single mem Directional for bracket for in	Description ber elliptical upsw loodlight bracket loodlight arm - uss	ept mast arm e with directional floodligh luminaires.	WMIS CU Assembly BKTUS30INC BKTTTUS06FT BKTTTUS08FT BKTTTUS10FT BKTTTUS12FT BKTDF1	Arm C Stoo 42021 42021 42021 66089 42021 42021 66084

Source: Dominion Power


LOCATION: NORFOLK, VA

BUILDING TYPE: TRE 6'-6" x 16'-0" ROOF TYPE: NONE


Source: Poligon Park Architecture - www.poligon.com


JOB NUMBER: 51402

STREET POLE (COLOR: BLACK) OR APPROVED EQUAL L-6.6 N.T.S.




Many localities have restrictions on light distribution and placement of outdoor lighting equipment. Consult with your local government before selecting outdoor lighting equipment. Source: Dominion Power





DECORATIVE POLE (COLOR: BLACK) OR APPROVED EQUAL L-6.6 N.T.S.



Source: Dominion Power ACORN LUMINAIRE 5750 CHESAPEAKE BOULEVAR SUITE 203A NORFOLK, VA 23513 PHONE: (757) 858-8585 FAX: (757) 858-2070 www.landstudiopc.com

SURVEYOR

BOWMAN CONSULTING GROUP, LTD 3951 WESTERRE PARKWAY, SUITE 150 RICHMOND, VIRGINIA 23233 PHONE: (804) 616-3240 FAX: (804) 270-2008 OTHER

STOP!!
NOT FOR CONSTRUCTION

USE FOR PRELIMINARY
PLANNING AND ESTIMATING
ONLY

DETAIL

OFFICIAL SEAL Lic. No.001053

LANDSTUDIO, PC © 2013

KS PA OVEM NVIEW AVE K, VIRGINIA URER DE

Revision/Issue

Project Name and Address: BAY OAKS PARK SITE IMPROVEMENTS EAST OCEANVIEW AVENUE

NORFOLK, VIRGINIA

roject # 09005-9 BWS MDK hecked: BWS/EDT Approved: BWS 38 OF 53 Date: 05/16/2014

cale: AS NOTED

(COLOR BLACK) OR APPROVED EQUAL DETAIL